



- 78-Spring
- 79-Fire-rated hatch
- 80-Tread
- 86-Hinge
- 88-Side bracket
- 90-Handrail
- 93-Stile end
- 94-Stringer (ladder side element)
- 714-Fire-resistant sealant
- 715-Rock wool ($\rho=60\text{kg/m}^3$)
- 717-Installation channel section
- 718-Ceiling

E Tread length	G Distance between treads	S Tread width
[cm]	[cm]	[cm]
35	25	13

LMF (120) - Loft ladder dimensions										
H Room height		A Width ceiling opening dimensions	B Length ceiling opening dimensions	K Folded ladder height	R Swing space	C Distance after ladder unfolding	T Box height	WxL Box external dimensions	MxN Internal box dimensions	JxD Loft ladder dimensions with trims
MAX	MIN	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]
280	233	60	120	34	165	120	16	59x118	55x114	64,7x123,7
		70	120					68x118	64x114	73,7x123,7
		70	130					68x128	64x124	73,7x133,7
		70	140					68x138	64x134	73,7x143,7
		86	130					84x128	80x124	89,7x133,7
305	256	70	130	176	129	129	16	68x128	64x124	73,7x133,7
		70	140					68x138	64x134	73,7x143,7
		86	130					84x128	80x124	89,7x133,7

FAKRO

LMF (120)



Warning! The present drawing is for informational-demonstrative purposes only and as such cannot constitute a basis for performance. All dimensions presented in this drawing should be verified on site. Because of the fact that the drawing is a schematic one, FAKRO shall not assume any responsibility for the actual installation quality. This drawing is FAKRO's property and cannot be published or used publicly without our written consent.

Technical drawing:
The LMF (120) Loft Ladder

FORMAT:
A4

SCALE:
1:20/1:10

DATE:
03.2021